

Neurodevelopmental Outcomes in the Drug-Exposed Premature Infant

References

- Andropoulos DB. Effect of Anesthesia on the Developing Brain: Infant and Fetus. *Fetal Diagn Ther.* 2018;43(1):1-11. doi: 10.1159/000475928. Epub 2017 Jun 7. PMID: 28586779.
- Barrera NP, Morales B, Torres S, Villalón M. Principles: mechanisms and modeling of synergism in cellular responses. *Trends Pharmacol Sci.* 2005 Oct;26(10):526-32. doi: 10.1016/j.tips.2005.08.003. PMID: 16125797.
- Bellù R, Romantsik O, Nava C, de Waal KA, Zanini R, Bruschetti M. Opioids for newborn infants receiving mechanical ventilation. *Cochrane Database Syst Rev.* 2021 Mar 17;3(3):CD013732. doi: 10.1002/14651858.CD013732.pub2. PMID: 33729556; PMCID: PMC8121090.
- Campo-Soria C, Chang Y, Weiss DS. Mechanism of action of benzodiazepines on GABAA receptors. *Br J Pharmacol.* 2006 Aug;148(7):984-90. doi: 10.1038/sj.bjp.0706796. Epub 2006 Jun 19. PMID: 16783415; PMCID: PMC1751932.
- Davidson AJ, Disma N, de Graaff JC, Withington DE, Dorris L, et al.; GAS consortium. Neurodevelopmental outcome at 2 years of age after general anaesthesia and awake-regional anaesthesia in infancy (GAS): an international multicentre, randomised controlled trial. *Lancet.* 2016 Jan 16;387(10015):239-50. doi: 10.1016/S0140-6736(15)00608-X. Epub 2015 Nov 4. Erratum in: *Lancet.* 2016 Jan 16;387(10015):228. PMID: 26507180; PMCID: PMC5023520.
- DiMaggio C, Sun LS, Ing C, Li G. Pediatric anesthesia and neurodevelopmental impairments: a Bayesian meta-analysis. *J Neurosurg Anesthesiol.* 2012 Oct;24(4):376-81. doi: 10.1097/ANA.0b013e31826a038d. PMID: 23076225; PMCID: PMC3475986.
- Duerden EG, Guo T, Dodbiba L, Chakravarty MM, Chau V, et al.; Midazolam dose correlates with abnormal hippocampal growth and neurodevelopmental outcome in preterm infants. *Ann Neurol.* 2016 Apr;79(4):548-59. doi: 10.1002/ana.24601. Epub 2016 Feb 15. PMID: 26754148.
- Lo J, Gauvreau K, Baker AL, de Ferranti SD, Friedman KG, et al.; Multiple Emergency Department Visits for a Diagnosis of Kawasaki Disease: An Examination of Risk Factors and Outcomes. *J Pediatr.* 2021 May;232:127-132.e3. doi: 10.1016/j.jpeds.2021.01.007. Epub 2021 Jan 13. PMID: 33453202.

Ng E, Taddio A, Ohlsson A. Intravenous midazolam infusion for sedation of infants in the neonatal intensive care unit. *Cochrane Database Syst Rev.* 2017 Jan 31;1(1):CD002052. doi: 10.1002/14651858.CD002052.pub3. PMID: 28141899; PMCID: PMC6464963.

Salarian S, Taherkhanchi B, Dabbagh A, Darban M, Bagheri B. Dexmedetomidine Mechanism of Action: an Update. *J Cell Mol Anesth.* 2016;1(2):91-4

Sanders RD, Xu J, Shu Y, Januszewski A, Halder S, et al.; Dexmedetomidine attenuates isoflurane-induced neurocognitive impairment in neonatal rats. *Anesthesiology.* 2009 May;110(5):1077-85. doi: 10.1097/ALN.0b013e31819daedd. PMID: 19352168.

Sun L. Early childhood general anaesthesia exposure and neurocognitive development. *Br J Anaesth.* 2010 Dec;105 Suppl 1(Suppl 1):i61-8. doi: 10.1093/bja/aeq302. PMID: 21148656; PMCID: PMC3000523.

Sun LS, Li G, Miller TL, Salorio C, Byrne MW, et al.; Association Between a Single General Anesthesia Exposure Before Age 36 Months and Neurocognitive Outcomes in Later Childhood. *JAMA.* 2016 Jun 7;315(21):2312-20. doi: 10.1001/jama.2016.6967. PMID: 27272582; PMCID: PMC5316422.

Szmuk P, Andropoulos D, McGowan F, Brambrink A, Lee C, et al.; An open label pilot study of a dexmedetomidine-remifentanyl-caudal anesthetic for infant lower abdominal/lower extremity surgery: The T REX pilot study. *Paediatr Anaesth.* 2019 Jan;29(1):59-67. doi: 10.1111/pan.13544. PMID: 30428151.

Trescot AM, Datta S, Lee M, Hansen H. Opioid pharmacology. *Pain Physician.* 2008 Mar;11(2 Suppl):S133-53. PMID: 18443637.

Velasco B, Mohamed E, Sato-Bigbee C. Endogenous and exogenous opioid effects on oligodendrocyte biology and developmental brain myelination. *Neurotoxicol Teratol.* 2021 Jul-Aug;86:107002. doi: 10.1016/j.ntt.2021.107002. Epub 2021 Jun 12. PMID: 34126203; PMCID: PMC8277740.

Warner DO, Hu D, Zaccariello MJ, Schroeder DR, Hanson AC, et al.; Association Between Behavioral and Learning Outcomes and Single Exposures to Procedures Requiring General Anesthesia Before Age 3: Secondary Analysis of Data From Olmsted County, MN. *Anesth Analg.* 2021 Jul 1;133(1):160-167. doi: 10.1213/ANE.0000000000005180. PMID: 32932391; PMCID: PMC7936987.



CENTER FOR RESEARCH,
EDUCATION, QUALITY AND SAFETY

Wilder RT, Flick RP, Sprung J, Katusic SK, Barbaresi WJ, et al.; Early exposure to anesthesia and learning disabilities in a population-based birth cohort. *Anesthesiology*. 2009 Apr;110(4):796-804. doi: 10.1097/01.anes.0000344728.34332.5d. PMID: 19293700; PMCID: PMC2729550.

Young A, Beattie RM, Johnson MJ. Optimising growth in very preterm infants: reviewing the evidence. *Arch Dis Child Fetal Neonatal Ed*. 2022 Feb 28:fetalneonatal-2021-322892. doi: 10.1136/archdischild-2021-322892. Epub ahead of print. PMID: 35228320.

Zwicker JG, Miller SP, Grunau RE, Chau V, Brant R, et al.; Smaller Cerebellar Growth and Poorer Neurodevelopmental Outcomes in Very Preterm Infants Exposed to Neonatal Morphine. *J Pediatr*. 2016 May;172:81-87.e2. doi: 10.1016/j.jpeds.2015.12.024. Epub 2016 Jan 4. PMID: 26763312; PMCID: PMC5462546.