

## ***Early Onset Sepsis: How Is It Changing?***

### **References**

Revised guidelines for prevention of early-onset group B streptococcal (GBS) infection. American Academy of Pediatrics Committee on Infectious Diseases and Committee on Fetus and Newborn. *Pediatrics*. 1997 Mar;99(3):489-96. doi: 10.1542/peds.99.3.489. PMID: 9041310.

Benitz WE, Wynn JL, Polin RA. Reappraisal of guidelines for management of neonates with suspected early-onset sepsis. *J Pediatr*. 2015 Apr;166(4):1070-4. doi: 10.1016/j.jpeds.2014.12.023. Epub 2015 Jan 29. PMID: 25641240; PMCID: PMC4767008.

Cantey JB, Huffman LW, Subramanian A, Marshall AS, Ballard AR, et al. Antibiotic Exposure and Risk for Death or Bronchopulmonary Dysplasia in Very Low Birth Weight Infants. *J Pediatr*. 2017 Feb;181:289-293.e1. doi: 10.1016/j.jpeds.2016.11.002. Epub 2016 Nov 28. PMID: 27908652.

Cantey JB, Prusakov P. A Proposed Framework for the Clinical Management of Neonatal "Culture-Negative" Sepsis. *J Pediatr*. 2022 May;244:203-211. doi: 10.1016/j.jpeds.2022.01.006. Epub 2022 Jan 22. PMID: 35074307.

Cantey JB, Wozniak PS, Pruszynski JE, Sánchez PJ. Reducing unnecessary antibiotic use in the neonatal intensive care unit (SCOUT): a prospective interrupted time-series study. *Lancet Infect Dis*. 2016 Oct;16(10):1178-1184. doi: 10.1016/S1473-3099(16)30205-5. Epub 2016 Jul 22. PMID: 27452782.

Celik IH, Hanna M, Canpolat FE, Mohan Pammi. Diagnosis of neonatal sepsis: the past, present and future. *Pediatr Res*. 2022 Jan;91(2):337-350. doi: 10.1038/s41390-021-01696-z. Epub 2021 Nov 2. PMID: 34728808; PMCID: PMC8818018.

Cordero L, Rau R, Taylor D, Ayers LW. Enteric gram-negative bacilli bloodstream infections: 17 years' experience in a neonatal intensive care unit. *Am J Infect Control*. 2004 Jun;32(4):189-95. doi: 10.1016/j.ajic.2003.07.004. PMID: 15175611.

Cotten CM, Taylor S, Stoll B, Goldberg RN, Hansen NI, et al; NICHD Neonatal Research Network. Prolonged duration of initial empirical antibiotic treatment is associated with increased rates of necrotizing enterocolitis and death for extremely low birth weight infants. *Pediatrics*. 2009 Jan;123(1):58-66. doi: 10.1542/peds.2007-3423. PMID: 19117861; PMCID: PMC2760222.

Dhudasia MB, Benitz WE, Flannery DD, Christ L, Rub D, et al. Diagnostic Performance and Patient Outcomes With C-Reactive Protein Use in Early-Onset Sepsis Evaluations. *J Pediatr*. 2023 May;256:98-104.e6. doi: 10.1016/j.jpeds.2022.12.007. Epub 2022 Dec 16. PMID: 36529283; PMCID: PMC10164676.

Fang P, Gao K, Yang J, Li T, Gong W, et al. Prevalence of Multidrug-Resistant Pathogens Causing Neonatal Early and Late Onset Sepsis, a Retrospective Study from the Tertiary Referral Children's Hospital. *Infect Drug Resist*. 2023 Jun 29;16:4213-4225. doi: 10.2147/IDR.S416020. PMID: 37404253; PMCID: PMC10317526.

Flannery DD, Edwards EM, Puopolo KM, Horbar JD. Early-Onset Sepsis Among Very Preterm Infants. *Pediatrics*. 2021 Oct;148(4):e2021052456. doi: 10.1542/peds.2021-052456. Epub 2021 Sep 7. Erratum in: *Pediatrics*. 2022 Oct 1;150(4): PMID: 34493539.

Flannery DD, Mukhopadhyay S, Morales KH, Dhudasia MB, Passarella M, et al. Delivery Characteristics and the Risk of Early-Onset Neonatal Sepsis. *Pediatrics*. 2022 Feb 1;149(2):e2021052900. doi: 10.1542/peds.2021-052900. PMID: 35022750; PMCID: PMC9648068.

Flannery DD, Puopolo KM, Hansen NI, Gerber JS, Sánchez PJ, Stoll BJ; for the Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Antimicrobial Susceptibility Profiles Among Neonatal Early-onset Sepsis Pathogens. *Pediatr Infect Dis J*. 2022 Mar 1;41(3):263-271. doi: 10.1097/INF.0000000000003380. PMID: 34862339; PMCID: PMC8831448.

Frymoyer A, Joshi NS, Allan JM, Cohen RS, Aby JL, et al. Sustainability of a Clinical Examination-Based Approach for Ascertainment of Early-Onset Sepsis in Late Preterm and Term Neonates. *J Pediatr*. 2020 Oct;225:263-268. doi: 10.1016/j.jpeds.2020.05.055. Epub 2020 Jun 5. PMID: 32511960.

Gan MY, Lee WL, Yap BJ, Seethor STT, Greenberg RG, et al. Contemporary Trends in Global Mortality of Sepsis Among Young Infants Less Than 90 Days: A Systematic Review and Meta-Analysis. *Front Pediatr*. 2022 Jun 3;10:890767. doi: 10.3389/fped.2022.890767. PMID: 35722477; PMCID: PMC9204066.

Greenberg RG, Chowdhury D, Hansen NI, Smith PB, Stoll BJ, et al; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Prolonged duration of early antibiotic therapy in extremely premature infants. *Pediatr Res*. 2019 Jun;85(7):994-1000. doi: 10.1038/s41390-019-0300-4. Epub 2019 Jan 22. PMID: 30737489; PMCID: PMC6531328.

Le J, Greenberg RG, Benjamin DK, Yoo Y, Zimmerman KO, et al; Administrative Core Committee of the Best Pharmaceuticals for Children Act–Pediatric Trials Network. Prolonged Post-Discontinuation Antibiotic Exposure in Very Low Birth Weight Neonates at Risk for Early-Onset Sepsis. *J Pediatric Infect Dis Soc*. 2021 May 28;10(5):615-621. doi: 10.1093/jpids/piaa172. PMID: 33491088; PMCID: PMC8163059.

Le J, Greenberg RG, Yoo Y, Clark RH, Benjamin DK Jr, et al; Best Pharmaceuticals for Children Act – Pediatric Trials Network Steering Committee. Ampicillin dosing in premature infants for early-onset sepsis: exposure-driven efficacy, safety, and stewardship. *J Perinatol*. 2022 Jul;42(7):959-964. doi: 10.1038/s41372-022-01344-2. Epub 2022 Feb 24. PMID: 35210541; PMCID: PMC9262754.

Mukhopadhyay S, Lee JJ, Hartman E, Woodford E, Dhudasia MB, et al. Preterm infants at low risk for early-onset sepsis differ in early fecal microbiome assembly. *Gut Microbes*. 2022 Jan-Dec;14(1):2154091. doi: 10.1080/19490976.2022.2154091. PMID: 36474348; PMCID: PMC9733690.

Mukhopadhyay S, Puopolo KM, Hansen NI, Lorch SA, DeMauro SB, et al; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Impact of Early-Onset Sepsis and Antibiotic Use on Death or Survival with Neurodevelopmental Impairment at 2 Years of Age among Extremely Preterm Infants. *J Pediatr*. 2020 Jun;221:39-46.e5. doi: 10.1016/j.jpeds.2020.02.038. PMID: 32446491; PMCID: PMC7248124.

Perez K, Puia-Dumitrescu M, Comstock BA, Wood TR, Mayock DE, et al, On Behalf Of The Penut Consortium. Patterns of Infections among Extremely Preterm Infants. *J Clin Med*. 2023 Apr 4;12(7):2703. doi: 10.3390/jcm12072703. PMID: 37048786; PMCID: PMC10095151.

Polcwiartek LB, Smith PB, Benjamin DK, Zimmerman K, Love A, et al. Early-onset sepsis in term infants admitted to neonatal intensive care units (2011-2016). *J Perinatol*. 2021 Jan;41(1):157-163. doi: 10.1038/s41372-020-00860-3. Epub 2020 Oct 17. PMID: 33070153; PMCID: PMC7568457.

Puopolo KM, Benitz WE, Zaoutis TE; COMMITTEE ON FETUS AND NEWBORN; COMMITTEE ON INFECTIOUS DISEASES. Management of Neonates Born at  $\leq 34$  6/7 Weeks' Gestation With Suspected or Proven Early-Onset Bacterial Sepsis. *Pediatrics*. 2018 Dec;142(6):e20182896. doi: 10.1542/peds.2018-2896. PMID: 30455344.

Puopolo KM, Mukhopadhyay S, Hansen NI, Cotten CM, Stoll BJ, et al; NICHD Neonatal Research Network. Identification of Extremely Premature Infants at Low Risk for Early-Onset Sepsis. *Pediatrics*. 2017 Nov;140(5):e20170925. doi: 10.1542/peds.2017-0925. Epub 2017 Oct 5. PMID: 28982710; PMCID: PMC5654397.

Puopolo KM, Mukhopadhyay S, Hansen NI, Flannery DD, Greenberg RG, et al. Group B Streptococcus Infection in Extremely Preterm Neonates and Neurodevelopmental Outcomes at 2 Years. *Clin Infect Dis*. 2022 Oct 12;75(8):1405-1415. doi: 10.1093/cid/ciac222. PMID: 35323895; PMCID: PMC9555845.

Risnes KR, Belanger K, Murk W, Bracken MB. Antibiotic exposure by 6 months and asthma and allergy at 6 years: Findings in a cohort of 1,401 US children. *Am J Epidemiol*. 2011 Feb 1;173(3):310-8. doi: 10.1093/aje/kwq400. Epub 2010 Dec 29. Erratum in: *Am J Epidemiol*. 2011 Apr 1;173(7):846. Erratum in: *Am J Epidemiol*. 2011 Jun 15;173(12):1475. PMID: 21190986; PMCID: PMC3105273.

Schrag SJ, Farley MM, Petit S, Reingold A, Weston EJ, et al. Epidemiology of Invasive Early-Onset Neonatal Sepsis, 2005 to 2014. *Pediatrics*. 2016 Dec;138(6):e20162013. doi: 10.1542/peds.2016-2013. PMID: 27940705.

Stocker M, Klingenberg C, Navér L, Nordberg V, Berardi A, et al. Less is more: Antibiotics at the beginning of life. *Nat Commun*. 2023 Apr 27;14(1):2423. doi: 10.1038/s41467-023-38156-7. PMID: 37105958; PMCID: PMC10134707.

Stoll BJ, Hansen NI, Adams-Chapman I, Fanaroff AA, Hintz SR, et al; National Institute of Child Health and Human Development Neonatal Research Network. Neurodevelopmental and growth impairment among extremely low-birth-weight infants with neonatal infection. *JAMA*. 2004 Nov 17;292(19):2357-65. doi: 10.1001/jama.292.19.2357. PMID: 15547163.

Stoll BJ, Hansen NI, Sánchez PJ, Faix RG, Poindexter BB, et al; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Early onset neonatal sepsis: the burden of group B Streptococcal and *E. coli* disease continues. *Pediatrics*. 2011 May;127(5):817-26. doi: 10.1542/peds.2010-2217. Epub 2011 Apr 25. Erratum in: *Pediatrics*. 2011 Aug;128(2):390. PMID: 21518717; PMCID: PMC3081183.

Verani JR, McGee L, Schrag SJ; Division of Bacterial Diseases, National Center for Immunization and Respiratory Diseases, Centers for Disease Control and Prevention (CDC). Prevention of perinatal group B streptococcal disease--revised guidelines from CDC, 2010. *MMWR Recomm Rep*. 2010 Nov 19;59(RR-10):1-36. PMID: 21088663.