

Leveraging QI to Enhance Your NICU's Outcomes

References

Alshaikh BN, Sproat TDR, Wood C, Spence J-M, Knauff M, Hamilton C, et al. A Quality Improvement Initiative to Reduce Necrotizing Enterocolitis in Very Preterm Infants. *Pediatrics*. 2023; 152(6):58

Bapat R, Nelin L, Shepherd E, Ryshen G, Elgin A, Bartman T. A multidisciplinary quality improvement effort to reduce bronchopulmonary dysplasia incidence. *J Perinatol* [Internet]. 2020;40(4):681–7. Available from: <http://dx.doi.org/10.1038/s41372-019-0574-8>

Birenbaum HJ, Dentry A, Cirelli J, Helou S, Pane MA, Starr K, et al. Reduction in the incidence of chronic lung disease in very low birth weight infants: Results of a quality improvement process in a tertiary level neonatal intensive care unit. *Pediatrics*. 2009;123(1):44–50.

Bizzarro MJ, Raskind C, Baltimore RS, Gallagher PG. Seventy-five years of neonatal sepsis at Yale: 1928-2003. *Pediatrics*. 2005;116(3):595–602.

Bizzarro MJ, Sabo B, Noonan M, Bonfiglio M-P, Northrup V, Diefenbach K. A Quality Improvement Initiative to Reduce Central Line–Associated Bloodstream Infections in a Neonatal Intensive Care Unit. *Infect Control Hosp Epidemiol*. 2010;31(3):241–8.

Bolstridge J, Bell T, Dean B, Mackley A, Moore G, Swift C, et al. A quality improvement initiative for delayed umbilical cord clamping in very low-birthweight infants. *BMC Pediatr* [Internet]. 2016;16(1):1–5. Available from: <http://dx.doi.org/10.1186/s12887-016-0692-9>

Cavicchiolo ME, Lanzoni P, Wingi MO, Pizzol D, Daverio M, Da Dalt L, et al. Reduced neonatal mortality in a regional hospital in Mozambique linked to a Quality Improvement intervention. *BMC Pregnancy Childbirth* [Internet]. 2016;16(1):1–6. Available from: <http://dx.doi.org/10.1186/s12884-016-1170-y>

Ceballos K, Waterman K, Hulett T, Makic MBF. Nurse-driven quality improvement interventions to reduce hospital-acquired infection in the NICU. *Adv Neonatal Care*. 2013;13(3):154–63.

Chan A-W, Altman DG. Identifying outcome reporting bias in randomised trials on PubMed: review of publications and survey of authors. *Bmj*. 2005;330(7494):

Coughlin K, Posencheg MA. Quality improvement methods “Part II. *J Perinatol* [Internet]. 2019;39:1000–7. Available from: <https://doi.org/10.1038/s41372-019-0382-1>

De Bijl-Marcus K, Brouwer AJ, De Vries LS, Groenendaal F, Wezel-Meijler G Van. Neonatal care bundles are associated with a reduction in the incidence of intraventricular haemorrhage in preterm infants: A multicentre cohort study. *Arch Dis Child Fetal Neonatal Ed*. 2020;105(4):419–24.

De Bijl-Marcus K, Brouwer AJ, De Vries LS, Groenendaal F, Wezel-Meijler G Van. Neonatal care bundles are associated with a reduction in the incidence of intraventricular haemorrhage in preterm infants: A multicentre cohort study. *Arch Dis Child Fetal Neonatal Ed*. 2020;105(4):419–24.

Devito NJ, Goldacre B. Catalogue of bias: Publication bias. *BMJ Evidence-Based Med*. 2019;24(2):53–4.

Dramowski A, Velaphi S, Reubenson G, Bekker A, Perovic O, Finlayson H, et al. National Neonatal Sepsis Task Force launch: Supporting infection prevention and surveillance, outbreak investigation and antimicrobial stewardship in neonatal units in South Africa. *South African Med J*. 2020;110(5):360–3.

Dukhovny D, Buus-Frank ME, Edwards EM, Ho T, Morrow KA, Srinivasan A, et al. A Collaborative Multicenter QI Initiative to Improve Antibiotic Stewardship in Newborns. *Pediatrics*. 2019; 144(6): 1-9

Ellsbury DL, Clark RH, Ursprung R, Handler DL, Dodd ED, Spitzer AR. A multifaceted approach to improving outcomes in the NICU: The pediatrix 100 000 babies campaign. *Pediatrics*. 2016;137(4).

Fischer HR, Duncan SD. The business case for quality improvement. *J Perinatol* [Internet]. 2020;40:972–9. Available from: <https://doi.org/10.1038/s41372-020-0660-y>

Gentle S, El-Ferzli G, Winter L, Salas AA, Philips JB. Oxygen saturation histogram monitoring to reduce death or retinopathy of prematurity: a quality improvement initiative. *J Perinatol* [Internet]. 2020;40(1):163–9. Available from: <http://dx.doi.org/10.1038/s41372-019-0486-7>

Gephart SM, Weller M. Colostrum as oral immune therapy to promote neonatal health. *Adv Neonatal Care*. 2014;14(1):44–51.

Goerens A, Lehnick D, Büttcher M, Daetwyler K, Fontana M, Genet P, et al. Neonatal ventilator associated pneumonia: A quality improvement initiative focusing on antimicrobial stewardship. *Front Pediatr*. 2018;6(September).

Gupta M, Kaplan HC. Measurement for quality improvement: using data to drive change. *J Perinatol* [Internet]. 2020;40(6):962–71. Available from: <http://dx.doi.org/10.1038/s41372-019-0572-x>

Hamza WS, Hamed EATM, Alfadhli MA, Ramadan MAM. A multidisciplinary intervention to reduce central line-associated bloodstream infection in pediatrics and neonatal intensive care units. *Science Direct*. 2022;63:71-77

Healy H, Croonen LEE, Onland W, van Kaam AH, Gupta M. A systematic review of reports of quality improvement for bronchopulmonary dysplasia. *Semin Fetal Neonatal Med*. 2021;26(1).

Hornik CP, Fort P, Clark RH, Watt K, Benjamin DK, Smith PB, et al. Early and late onset sepsis in very-low-birth-weight infants from a large group of neonatal intensive care units. *Early Hum Dev*. 2012;88(SUPPL.2):1–13.

Howes A, Hilditch C, Keir A. What clinical practice strategies have been shown to decrease incidence rates of intraventricular haemorrhage in preterm infants? *J Paediatr Child Health*. 2019;55(10):1269–78.

Huskins WC. Quality improvement interventions to prevent healthcare-associated infections in neonates and children. *Curr Opin Pediatr*. 2012;24(1):103–12.

Jasani B, Patole S. Standardized feeding regimen for reducing necrotizing enterocolitis in preterm infants: An updated systematic review. *J Perinatol* [Internet]. 2017;37(7):827–33. Available from: <http://dx.doi.org/10.1038/jp.2017.37>

Kakkilaya V, Jubran I, Mashruwala V, Ramon E, Simcik VN, Marshall M, et al. Quality improvement project to decrease delivery room intubations in preterm infants. *Pediatrics*. 2019;143(2).

Katakam L, Suresh GK. Identifying a quality improvement project. *Nat Publ Gr* [Internet]. 2017;37:1161–5. Available from: www.nature.com/jp

Klugman D, Melton K, Maynard PON, Dawson A, Madhavan G, Montgomery VL, et al. Assessment of an Unplanned Extubation Bundle to Reduce Unplanned Extubations in Critically Ill Neonates, Infants, and Children. *JAMA Pediatr*. 2020;174(6):1–9.

Kohn KT, Corrigan JM DM. *To Err is Human: Building a Safer Health System*. Washington, DC: National Academy Press; 1999.

Kramer KP, Minot K, Butler C, Haynes K, Mason A, Nguyen L, et al. Reduction of Severe Intraventricular Hemorrhage in Preterm Infants: A Quality Improvement Project. *Pediatrics*. 2022; 149(3): 1-11

Lapcharoensap W, Bennett M V., Powers RJ, Finer NN, Halamek LP, Gould JB, et al. Effects of delivery room quality improvement on premature infant outcomes. *J Perinatol*. 2017;37(4):349–54.

Lapcharoensap W, Gage SC, Kan P, Profit J, Shaw GM, Gould JB, et al. Hospital variation and risk factors for bronchopulmonary dysplasia in a population-based cohort. *JAMA Pediatr*. 2015;169(2):e143676.

Lee HC, Ho QT, Rhine WD. A quality improvement project to improve admission temperatures in very low birth weight infants. *J Perinatol*. 2008;28(11):754–8.

Lee HC, Kurtin PS, Wight NE, Chance K, Cucinotta-Fobes T, Hanson-Timpson TA, et al. A quality improvement project to increase breast milk use in very low birth weight infants. *Pediatrics*. 2012;130(6).

Lee SK, Aziz K, Singhal N, Cronin CM, James A, Lee DSC, et al. Improving the quality of care for infants: A cluster randomized controlled trial. *Cmaj*. 2009;181(8):469–76.

Ligi I, Arnaud F, Jouve E, Tardieu S, Sambuc R, Simeoni U. Iatrogenic events in admitted neonates: a prospective cohort study. *Lancet*. 2008;371(9610):404–10.

Mavis SC, Gallup MC, Meyer M, Misgen MM, Schram LA, Herzog DL, et al. A Quality Improvement Initiative to Reduce Necrotizing Enterocolitis in High-Risk Neonates. *Journal of Perinatology*. 2023; 43: 97-102

Nathan AT, Ward L, Schibler K, Moyer L, South A, Kaplan HC. A quality improvement initiative to reduce necrotizing enterocolitis across hospital systems. *J Perinatol* [Internet]. 2018;38(6):742–50. Available from: <http://dx.doi.org/10.1038/s41372-018-0104-0>

Nelson MU, Pinheiro JMB, Afzal B, Meyers JM. Experiences of a Regional Quality Improvement Collaborative to Reduce Unplanned Extubations in the Neonatal Intensive Care Unit. *Children*. 2022; 9: 1-14

Nether KG, Thomas EJ, Khan A, Ottosen MJ, Yager L. Implementing a Robust Process Improvement Program in the Neonatal Intensive Care Unit to Reduce Harm. *Journal of Healthcare Quality*. 2022; 44(1):23-30

Nguyen MNR, Mosel C, Grzeskowiak LE. Interventions to reduce medication errors in neonatal care: a systematic review. *Ther Adv Drug Saf*. 2018;9(2):123–55.

Olson CM, Rennie D, Cook D, Dickersin K, Flanagan A, Hogan JW, et al. Publication bias in editorial decision making. *J Am Med Assoc*. 2002;287(21):2825–8.

Patel AL, Trivedi S, Bhandari NP, Ruf A, Scala CM, Witowitch G, et al. Reducing necrotizing enterocolitis in very low birth weight infants using quality-improvement methods. *J Perinatol*. 2014;34(11):850–7.

Paul DA, Mackley A, Novitsky A, Zhao Y, Brooks A, Locke RG. Increased odds of necrotizing enterocolitis after transfusion of red blood cells in premature infants. *Pediatrics*. 2011;127(4):635–41.

Payne NR, Finkelstein MJ, Liu M, Kaempf JW, Sharek PJ, Olsen S. NICU practices and outcomes associated with 9 years of quality improvement collaboratives. *Pediatrics*. 2010;125(3):437–46.

Payne NR, LaCorte M, Karna P, Chen S, Finkelstein M, Goldsmith JP, et al. Reduction of bronchopulmonary dysplasia after participation in the Breathsavers Group of the Vermont Oxford Network Neonatal Intensive Care Quality Improvement Collaborative. *Pediatrics*. 2006;118(SUPPL. 2).

Pearlman SA, Swanson JR. A practical guide to publishing a quality improvement paper. *J Perinatol* [Internet]. 2021;41:1454–8. Available from: <https://doi.org/10.1038/s41372-020-00902-w>

Pearlman SA. Quality Improvement to Reduce Neonatal CLABSI: The Journey to Zero. *Am J Perinatol*. 2020;37(6):S14–7.

Peleg B, Globus O, Granot M, Leibovitch L, Mazkereth R, Eisen I, et al. “Golden Hour” quality improvement intervention and short-term outcome among preterm infants. *J Perinatol* [Internet]. 2019;39(3):387–92. Available from: <http://dx.doi.org/10.1038/s41372-018-0254-0>

Pfister RH, Goldsmith JP. Quality improvement in respiratory care: Decreasing bronchopulmonary dysplasia. *Clin Perinatol* [Internet]. 2010;37(1):273–93. Available from: <http://dx.doi.org/10.1016/j.clp.2010.01.015>

Piazza AJ, Brozanski B, Provost L, Grover TR, Chuo J, Smith JR, et al. SLUG Bug: Quality improvement with orchestrated testing leads to NICU CLABSI reduction. *Pediatrics*. 2016;137(1).

Picarillo AP. Introduction to quality improvement tools for the clinician. *J Perinatol* [Internet]. 2018;38(7):929–35. Available from: <http://dx.doi.org/10.1038/s41372-018-0100-4>

Ravi D, Tawfik DS, Bryan Sexton J, Profit J. Changing safety culture. *J Perinatol* [Internet]. Available from: <https://doi.org/10.1038/s41372-020-00839-0>

Sacks AM, Fitzgerald J, Boerste LA. Improving Safe Infant Sleep Compliance Through Implementation of a Safe Sleep Bundle. *Advances in Neonatal Care*. 2022; 23(1): 4-9

Schmid MB, Reister F, Mayer B, Hopfner RJ, Fuchs H, Hummler HD. Prospektive überwachung von risikofaktoren reduziert hirnblutungsrate bei frühgeborenen. *Dtsch Arztebl Int*. 2013;110(29–30):489–96.

Sekar KC. Iatrogenic complications in the neonatal intensive care unit. *J Perinatol*. 2010;30(June 2009):S51–6.

Shah PS, Dunn M, Aziz K, Shah V, Deshpandey A, Mukerji A, et al. Sustained quality improvement in outcomes of preterm neonates with a gestational age less than 29 weeks: Results from the Evidence-based Practice for Improving Quality Phase 31. *Can J Physiol Pharmacol*. 2019;97(3):213–21.

Shah V, Warre R, Lee SK. Quality improvement initiatives in neonatal intensive care unit networks: Achievements and challenges. *Acad Pediatr* [Internet]. 2013;13(6 SUPPL.):S75–83. Available from: <http://dx.doi.org/10.1016/j.acap.2013.04.014>

Swanson JR, Pearlman SA. Roadmap to a successful quality improvement project. *J Perinatol*. 2017 Feb 1;37(2):112–5.

Talavera MM, Bixler G, Cozzi C, Dail J, Miller RR, McClead R, et al. Quality improvement initiative to reduce the necrotizing enterocolitis rate in premature infants. *Pediatrics*. 2016;137(5).

Ting JY, Goh VSK, Osiovich H. Reduction of central line-associated bloodstream infection rates in a neonatal intensive care unit after implementation of a multidisciplinary evidence-based quality improvement collaborative: A four-year surveillance. *Can J Infect Dis Med Microbiol*. 2013;24(4):185–90.

Travers CP, Gentle S, Freeman AE, Nichols K, Shukla VV, Purvis D, et al. A Quality Improvement Bundle to Improve Outcomes in Extremely Preterm Infants in the First Week. *Pediatrics*. 2022; 149(2): 56-64

Vellanki H, Antunes M, Locke RG, McGreevy T, Mackley A, Eubanks JJ, et al. Decreased incidence of pneumothorax in VLBW infants after increased monitoring of tidal volumes. *Pediatrics*. 2012;130(5).

Walsh M, Laptook A, Kazzi SN, Engle WA, Yao Q, Rasmussen M, et al. A cluster-randomized trial of benchmarking and multimodal quality improvement to improve rates of survival free of bronchopulmonary dysplasia for infants with birth weights of less than 1250 grams. *Pediatrics*. 2007;119(5):876–90.

White H, Merritt K, Martin K, Lauer E, Rhein L. Respiratory support strategies in the prevention of bronchopulmonary dysplasia: A single center quality improvement initiative. *Frontiers in Pediatrics*. 2022: 1-12

Whitesel E, Goldstein J, Lee HC, Gupta M. Quality Improvement for neonatal resuscitation and delivery room care. *Seminars in Perinatology*. 2022; 46: 151629.

Wirtschafter DD, Pettit J, Kurtin P, Dalsey M, Chance K, Morrow HW, et al. A statewide quality improvement collaborative to reduce neonatal central line-associated blood stream infections. *J Perinatol*. 2010;30(3):170–81.

Zaka N, Alexander EC, Manikam L, Norman ICF, Akhbari M, Moxon S, et al. Quality improvement initiatives for hospitalised small and sick newborns in low- and middle-income countries: A systematic review. *Implement Sci*. 2018;13(1):1–21.