

The Ongoing Quandary of Therapeutic Hypothermia for Mild HIE

References

Chalak LF, Adams-Huet B, Sant'Anna G. A Total Sarnat Score in Mild Hypoxic-ischemic Encephalopathy Can Detect Infants at Higher Risk of Disability. *J Pediatr.* 2019 Nov;214:217-221.e1. doi: 10.1016/j.jpeds.2019.06.026. Epub 2019 Jul 10. Erratum in: *J Pediatr.* 2020 Mar;218:e2. doi: 10.1016/j.jpeds.2019.10.078. PMID: 31301853.

Chalak LF, Nguyen KA, Prempunpong C, Heyne R, Thayyil S, et al. Prospective research in infants with mild encephalopathy identified in the first six hours of life: neurodevelopmental outcomes at 18-22 months. *Pediatr Res.* 2018 Dec;84(6):861-868. doi: 10.1038/s41390-018-0174-x. Epub 2018 Sep 13. PMID: 30250303; PMCID: PMC6445543.

Conway JM, Walsh BH, Boylan GB, Murray DM. Mild hypoxic ischaemic encephalopathy and long term neurodevelopmental outcome - A systematic review. *Early Hum Dev.* 2018 May;120:80-87. doi: 10.1016/j.earlhumdev.2018.02.007. Epub 2018 Feb 26. PMID: 29496329.

Donn SM, Chiswick ML, Fanaroff JM. Medico-legal implications of hypoxic-ischemic birth injury. *Semin Fetal Neonatal Med.* 2014 Oct;19(5):317-21. doi: 10.1016/j.siny.2014.08.005. Epub 2014 Aug 20. PMID: 25150792.

Evans K, Battersby C, Boardman JP, Boyle E, Carroll W, et al. National priority setting partnership using a Delphi consensus process to develop neonatal research questions suitable for practice-changing randomised trials in the UK. *Arch Dis Child Fetal Neonatal Ed.* 2023 Nov;108(6):569-574. doi: 10.1136/archdischild-2023-325504. Epub 2023 Apr 24. PMID: 37094919; PMCID: PMC10646876.

Fanaroff AA, Fanaroff JM. The ongoing quandary of defining the standard of care for neonates. *Acta Paediatr.* 2016 Sep;105(9):1009-13. doi: 10.1111/apa.13435. Epub 2016 May 20. PMID: 27102371.

Finder M, Boylan GB, Twomey D, Ahearne C, Murray DM, Hallberg B. Two-Year Neurodevelopmental Outcomes After Mild Hypoxic Ischemic Encephalopathy in the Era of Therapeutic Hypothermia. *JAMA Pediatr.* 2020 Jan 1;174(1):48-55. doi: 10.1001/jamapediatrics.2019.4011. Erratum in: *JAMA Pediatr.* 2020 Mar 1;174(3):305. doi: 10.1001/jamapediatrics.2019.5844. PMID: 31710357; PMCID: PMC6865301.

Goswami IR, Whyte H, Wintermark P, Mohammad K, Shivananda S, et al; Canadian Neonatal Network Investigators. Characteristics and short-term outcomes of neonates with mild hypoxic-ischemic encephalopathy treated with hypothermia. *J Perinatol.* 2020 Feb;40(2):275-283. doi: 10.1038/s41372-019-0551-2. Epub 2019 Nov 13. PMID: 31723237.

Hage L, Jeyakumaran D, Dorling J, Ojha S, Sharkey D, et al. Changing clinical characteristics of infants treated for hypoxic-ischaemic encephalopathy in England, Wales and Scotland: a population-based study using the National Neonatal Research Database. *Arch Dis Child Fetal Neonatal Ed.* 2021 Sep;106(5):501-508. doi: 10.1136/archdischild-2020-319685. Epub 2021 Feb 4. PMID: 33541916.

Kariholu U, Montaldo P, Markati T, Lally PJ, Pryce R, et al. Therapeutic hypothermia for mild neonatal encephalopathy: a systematic review and meta-analysis. *Arch Dis Child Fetal Neonatal Ed.* 2020 Mar;105(2):225-228. doi: 10.1136/archdischild-2018-315711. Epub 2018 Dec 19. PMID: 30567775.

Li Y, Wisnowski JL, Chalak L, Mathur AM, McKinstry RC, et al. Mild hypoxic-ischemic encephalopathy (HIE): timing and pattern of MRI brain injury. *Pediatr Res.* 2022 Dec;92(6):1731-1736. doi: 10.1038/s41390-022-02026-7. Epub 2022 Mar 30. PMID: 35354930; PMCID: PMC9771796.

Montaldo P, Lally PJ, Oliveira V, Swamy R, Mendoza J, et al. Therapeutic hypothermia initiated within 6 hours of birth is associated with reduced brain injury on MR biomarkers in mild hypoxic-ischaemic encephalopathy: a non-randomised cohort study. *Arch Dis Child Fetal Neonatal Ed.* 2019 Sep;104(5):F515-F520. doi: 10.1136/archdischild-2018-316040. Epub 2018 Nov 13. PMID: 30425113; PMCID: PMC6788875.

Montaldo P, Puzone S, Caredda E, Galdo F, Pugliese U, et al. Magnetic Resonance Biomarkers and Neurological Outcome of Infants with Mild Hypoxic-Ischaemic Encephalopathy Who Progress to Moderate Hypoxic-Ischaemic Encephalopathy. *Neonatology.* 2023;120(1):153-160. doi: 10.1159/000527871. Epub 2022 Dec 22. PMID: 36549280.

Oliveira V, Singhvi DP, Montaldo P, Lally PJ, Mendoza J, et al. Therapeutic hypothermia in mild neonatal encephalopathy: a national survey of practice in the UK. *Arch Dis Child Fetal Neonatal Ed.* 2018 Jul;103(4):F388-F390. doi: 10.1136/archdischild-2017-313320. Epub 2017 Sep 23. PMID: 28942433.

Prempunpong C, Chalak LF, Garfinkle J, Shah B, Kalra V, et al. Prospective research on infants with mild encephalopathy: the PRIME study. *J Perinatol.* 2018 Jan;38(1):80-85. doi: 10.1038/jp.2017.164. Epub 2017 Nov 2. PMID: 29095433; PMCID: PMC8592379.

Rao R, Trivedi S, Distler A, Liao S, Vesoulis Z, et al. Neurodevelopmental Outcomes in Neonates with Mild Hypoxic Ischemic Encephalopathy Treated with Therapeutic Hypothermia. *Am J Perinatol.* 2019 Nov;36(13):1337-1343. doi: 10.1055/s-0038-1676973. Epub 2019 Jan 4. PMID: 30609430; PMCID: PMC6609494.

Sarnat HB, Sarnat MS. Neonatal encephalopathy following fetal distress. A clinical and electroencephalographic study. *Arch Neurol.* 1976 Oct;33(10):696-705. doi: 10.1001/archneur.1976.00500100030012. PMID: 987769.

Saw CL, Rakshasbhuvankar A, Rao S, Bulsara M, Patole S. Current Practice of Therapeutic Hypothermia for Mild Hypoxic Ischemic Encephalopathy. *J Child Neurol.* 2019 Jun;34(7):402-409. doi: 10.1177/0883073819828625. Epub 2019 Mar 22. PMID: 30898007.

Shankaran S, Laptook AR, Ehrenkranz RA, Tyson JE, McDonald SA, et al; National Institute of Child Health and Human Development Neonatal Research Network. Whole-body hypothermia for neonates with hypoxic-ischemic encephalopathy. *N Engl J Med.* 2005 Oct 13;353(15):1574-84. doi: 10.1056/NEJMcps050929. PMID: 16221780.

Shibley L, Gale C, Sharkey D. Trends in the incidence and management of hypoxic-ischaemic encephalopathy in the therapeutic hypothermia era: a national population study. *Arch Dis Child Fetal Neonatal Ed.* 2021 Sep;106(5):529-534. doi: 10.1136/archdischild-2020-320902. Epub 2021 Mar 8. PMID: 33685945.

Thayyil S, Pant S, Montaldo P, Shukla D, Oliveira V, et al; HELIX consortium. Hypothermia for moderate or severe neonatal encephalopathy in low-income and middle-income countries (HELIX): a randomised controlled trial in India, Sri Lanka, and Bangladesh. *Lancet Glob Health.* 2021 Sep;9(9):e1273-e1285. doi: 10.1016/S2214-109X(21)00264-3. Epub 2021 Aug 3. Erratum in: *Lancet Glob Health.* 2021 Oct;9(10):e1371. doi: 10.1016/S2214-109X(21)00397-1. PMID: 34358491; PMCID: PMC8371331.

Törn AE, Hesselman S, Johansen K, Ågren J, Wikström AK, Jonsson M. Outcomes in children after mild neonatal hypoxic ischaemic encephalopathy: A population-based cohort study. *BJOG.* 2023 Dec;130(13):1602-1609. doi: 10.1111/1471-0528.17533. Epub 2023 May 18. PMID: 37199188.

Walsh BH, Inder TE. MRI as a biomarker for mild neonatal encephalopathy. *Early Hum Dev.* 2018 May;120:75-79. doi: 10.1016/j.earlhumdev.2018.02.006. Epub 2018 Feb 17. PMID: 29463417.

Wu YW, Comstock BA, Gonzalez FF, Mayock DE, Goodman AM, et al; HEAL Consortium. Trial of Erythropoietin for Hypoxic-Ischemic Encephalopathy in Newborns. *N Engl J Med.* 2022 Jul 14;387(2):148-159. doi: 10.1056/NEJMoa2119660. PMID: 35830641; PMCID: PMC10542745.

Yieh L, Lee H, Lu T, Song A, Gong CL, et al. Neonates with mild hypoxic-ischaemic encephalopathy receiving supportive care versus therapeutic hypothermia in California. *Arch Dis Child Fetal Neonatal Ed.* 2022 May;107(3):324-328. doi: 10.1136/archdischild-2021-322250. Epub 2021 Aug 30. PMID: 34462319.