

Beyond the Scale: Growth Strategies for Optimizing Neurodevelopment and Minimizing Metabolic Risk

References

- Abera M, Tesfaye M, Admassu B, Hanlon C, Ritz C, et al. Body composition during early infancy and developmental progression from 1 to 5 years of age: the Infant Anthropometry and Body Composition (iABC) cohort study among Ethiopian children. *Br J Nutr*. 2018 Jun;119(11):1263-1273. doi: 10.1017/S000711451800082X. PMID: 29770755.
- Abera M, Tesfaye M, Hanlon C, Admassu B, Girma T, et al. Body Composition during Early Infancy and Mental Health Outcomes at 5 Years of Age: A Prospective Cohort Study of Ethiopian Children. *J Pediatr*. 2018 Sep;200:225-231. doi: 10.1016/j.jpeds.2018.04.055. Epub 2018 Jul 27. PMID: 30060887.
- Admassu B, Wells JCK, Girma T, Belachew T, Ritz C, et al. Body composition during early infancy and its relation with body composition at 4 years of age in Jimma, an Ethiopian prospective cohort study. *Nutr Diabetes*. 2018 Sep 7;8(1):46. doi: 10.1038/s41387-018-0056-7. PMID: 30190452; PMCID: PMC6127223.
- Ahmad I, Nemet D, Eliakim A, Koeppel R, Grochow D, et al. Body composition and its components in preterm and term newborns: A cross-sectional, multimodal investigation. *Am J Hum Biol*. 2010 Jan-Feb;22(1):69-75. doi: 10.1002/ajhb.20955. PMID: 19533616; PMCID: PMC2795003.
- Barker DJ. The fetal and infant origins of adult disease. *BMJ*. 1990 Nov 17;301(6761):1111. doi: 10.1136/bmj.301.6761.1111. PMID: 2252919; PMCID: PMC1664286.
- Barker DJ. Fetal growth and adult disease. *Br J Obstet Gynaecol*. 1992 Apr;99(4):275-6. doi: 10.1111/j.1471-0528.1992.tb13719.x. PMID: 1581269.
- Bell KA, Matthews LG, Cherkerzian S, Palmer C, Drouin K, et al. Associations of Growth and Body Composition with Brain Size in Preterm Infants. *J Pediatr*. 2019 Nov;214:20-26.e2. doi: 10.1016/j.jpeds.2019.06.062. Epub 2019 Jul 31. PMID: 31377040; PMCID: PMC9131302.
- Bell KA, Wang W, Nagel EM, Pepin H, Plummer E, et al. Accuracy and reliability of bioelectrical impedance analysis for determining body composition among preterm infants. *Nutr Clin Pract*. 2025 Aug;40(4):931-941. doi: 10.1002/ncp.11321. Epub 2025 May 30. PMID: 40443193.
- Belfort MB, Gillman MW, Buka SL, Casey PH, McCormick MC. Preterm infant linear growth and adiposity gain: trade-offs for later weight status and intelligence quotient. *J Pediatr*. 2013 Dec;163(6):1564-1569.e2. doi: 10.1016/j.jpeds.2013.06.032. Epub 2013 Jul 30. PMID: 23910982; PMCID: PMC3834090.
- Belfort MB, Rifas-Shiman SL, Sullivan T, Collins CT, McPhee AJ, et al. Infant growth before and after term: effects on neurodevelopment in preterm infants. *Pediatrics*. 2011 Oct;128(4):e899-906. doi: 10.1542/peds.2011-0282. Epub 2011 Sep 26. PMID: 21949135; PMCID: PMC3182845.
- Belfort MB, Rifas-Shiman SL, Rich-Edwards JW, Kleinman KP, Oken E, Gillman MW. Infant growth and child cognition at 3 years of age. *Pediatrics*. 2008 Sep;122(3):e689-95. doi: 10.1542/peds.2008-0500. PMID: 18762504; PMCID: PMC2761622.

Beyerlein A, Ness AR, Streuling I, Hadders-Algra M, von Kries R. Early rapid growth: no association with later cognitive functions in children born not small for gestational age. *Am J Clin Nutr*. 2010 Sep;92(3):585-93. doi: 10.3945/ajcn.2009.29116. Epub 2010 Jun 30. PMID: 20592132.

Binder C, Buchmayer J, Thajer A, Giordano V, Schmidbauer V, et al. Association between Fat-Free Mass and Brain Size in Extremely Preterm Infants. *Nutrients*. 2021 Nov 24;13(12):4205. doi: 10.3390/nu13124205. PMID: 34959757; PMCID: PMC8708955.

Demerath EW, Johnson W, Davern BA, Anderson CG, Shenberger JS, et al. New body composition reference charts for preterm infants. *Am J Clin Nutr*. 2017 Jan;105(1):70-77. doi: 10.3945/ajcn.116.138248. Epub 2016 Nov 2. PMID: 27806978.

Deurenberg P, Deurenberg-Yap M. Validity of body composition methods across ethnic population groups. *Acta Diabetol*. 2003 Oct;40 Suppl 1:S246-9. doi: 10.1007/s00592-003-0077-z. PMID: 14618484.

Dung NQ, Fusch G, Armbrust S, Jochum F, Fusch C. Body composition of preterm infants measured during the first months of life: bioelectrical impedance provides insignificant additional information compared to anthropometry alone. *Eur J Pediatr*. 2007 Mar;166(3):215-22. doi: 10.1007/s00431-006-0232-y. Epub 2006 Sep 19. PMID: 17047996.

Ehrenkranz RA, Younes N, Lemons JA, Fanaroff AA, Donovan EF, et al. Longitudinal growth of hospitalized very low birth weight infants. *Pediatrics*. 1999 Aug;104(2 Pt 1):280-9. doi: 10.1542/peds.104.2.280. PMID: 10429008.

Ellis KJ, Bell SJ, Chertow GM, Chumlea WC, Knox TA, et al. Bioelectrical impedance methods in clinical research: a follow-up to the NIH Technology Assessment Conference. *Nutrition*. 1999 Nov-Dec;15(11-12):874-80. doi: 10.1016/s0899-9007(99)00147-1. PMID: 10575664.

Embleton ND, Korada M, Wood CL, Pearce MS, Swamy R, Cheetham TD. Catch-up growth and metabolic outcomes in adolescents born preterm. *Arch Dis Child*. 2016 Nov;101(11):1026-1031. doi: 10.1136/archdischild-2015-310190. Epub 2016 Jun 10. PMID: 27288431.

Gale C, Logan KM, Santhakumaran S, Parkinson JR, Hyde MJ, Modi N. Effect of breastfeeding compared with formula feeding on infant body composition: a systematic review and meta-analysis. *Am J Clin Nutr*. 2012 Mar;95(3):656-69. doi: 10.3945/ajcn.111.027284. Epub 2012 Feb 1. PMID: 22301930.

Gianni ML, Mornioli D, Bettinelli ME, Mosca F. Human Milk and Lactation. *Nutrients*. 2020 Mar 26;12(4):899. doi: 10.3390/nu12040899. PMID: 32224879; PMCID: PMC7230226.

He K, Hohenberg J, Li Y, Xiao A, Cho H, et al. Enhancing Newborn Health Assessment: Ultrasound-based Body Composition Prediction Using Deep Learning Techniques. *Ultrasound Med Biol*. 2026 Jan;52(1):207-215. doi: 10.1016/j.ultrasmedbio.2025.09.016. Epub 2025 Oct 16. PMID: 41102035; PMCID: PMC12614439.

Horbar JD, Ehrenkranz RA, Badger GJ, Edwards EM, Morrow KA, et al. Weight Growth Velocity and Postnatal Growth Failure in Infants 501 to 1500 Grams: 2000-2013. *Pediatrics*. 2015 Jul;136(1):e84-92. doi: 10.1542/peds.2015-0129. PMID: 26101360.

Ishida H, Watanabe S. Influence of inward pressure of the transducer on lateral abdominal muscle thickness during ultrasound imaging. *J Orthop Sports Phys Ther*. 2012 Sep;42(9):815-8. doi: 10.2519/jospt.2012.4064. Epub 2012 Apr 19. PMID: 22517245.

Johnson MJ, Wootton SA, Leaf AA, Jackson AA. Preterm birth and body composition at term equivalent age: a systematic review and meta-analysis. *Pediatrics*. 2012 Sep;130(3):e640-9. doi: 10.1542/peds.2011-3379. Epub 2012 Aug 13. PMID: 22891222.

Josefson JL, Hoffmann JA, Metzger BE. Excessive weight gain in women with a normal pre-pregnancy BMI is associated with increased neonatal adiposity. *Pediatr Obes*. 2013 Apr;8(2):e33-6. doi: 10.1111/j.2047-6310.2012.00132.x. Epub 2013 Jan 3. PMID: 23283756; PMCID: PMC4076951.

Kyle UG, Bosaeus I, De Lorenzo AD, Deurenberg P, Elia M, et al; Composition of the ESPEN Working Group. Bioelectrical impedance analysis--part I: review of principles and methods. *Clin Nutr*. 2004 Oct;23(5):1226-43. doi: 10.1016/j.clnu.2004.06.004. PMID: 15380917.

Latal-Hajnal B, von Siebenthal K, Kovari H, Bucher HU, Largo RH. Postnatal growth in VLBW infants: significant association with neurodevelopmental outcome. *J Pediatr*. 2003 Aug;143(2):163-70. doi: 10.1067/S0022-3476(03)00243-9. PMID: 12970627.

Lei X, Chen Y, Ye J, Ouyang F, Jiang F, Zhang J. The optimal postnatal growth trajectory for term small for gestational age babies: a prospective cohort study. *J Pediatr*. 2015 Jan;166(1):54-8. doi: 10.1016/j.jpeds.2014.09.025. Epub 2014 Oct 23. PMID: 25444014.

Leunissen RW, Oosterbeek P, Hol LK, Hellingman AA, Stijnen T, Hokken-Koelega AC. Fat mass accumulation during childhood determines insulin sensitivity in early adulthood. *J Clin Endocrinol Metab*. 2008 Feb;93(2):445-51. doi: 10.1210/jc.2007-1543. Epub 2007 Nov 27. PMID: 18042649.

Luo Z, You B, Zhang Y, Tang J, Zheng Z, et al. Nonlinear relationship between early postnatal weight gain velocity and neurodevelopmental outcomes in very-low birth weight preterm infants: A secondary analysis based on a published prospective cohort study. *Front Pediatr*. 2022 Nov 8;10:944067. doi: 10.3389/fped.2022.944067. PMID: 36425400; PMCID: PMC9679406.

McLeod G, Geddes D, Nathan E, Sherriff J, Simmer K, Hartmann P. Feasibility of using ultrasound to measure preterm body composition and to assess macronutrient influences on tissue accretion rates. *Early Hum Dev*. 2013 Aug;89(8):577-82. doi: 10.1016/j.earlhumdev.2013.02.007. Epub 2013 Mar 25. PMID: 23535172.

Morris EE, Miller NC, Haapala JL, Georgieff MK, Ramel SE. Preterm infant body composition, working memory, and temperament. *Infant Behav Dev*. 2023 Feb;70:101808. doi: 10.1016/j.infbeh.2022.101808. Epub 2023 Jan 5. PMID: 36610269.

Mulasi U, Kuchnia AJ, Cole AJ, Earthman CP. Bioimpedance at the bedside: current applications, limitations, and opportunities. *Nutr Clin Pract*. 2015 Apr;30(2):180-93. doi: 10.1177/0884533614568155. Epub 2015 Jan 22. Erratum in: *Nutr Clin Pract*. 2015 Aug;30(4):589. doi: 10.1177/0884533615590094. PMID: 25613832.

Nagel E, Hickey M, Teigen L, Kuchnia A, Holm T, et al. Can Ultrasound Measures of Muscle and Adipose Tissue Thickness Predict Body Composition of Premature Infants in the Neonatal Intensive Care Unit? *JPEN J Parenter Enteral Nutr*. 2021 Feb;45(2):323-330. doi: 10.1002/jpen.1829. Epub 2020 Apr 7. PMID: 32255211.

Nagel EM, Jacobs D, Johnson KE, Foster L, Duncan K, et al. Maternal Dietary Intake of Total Fat, Saturated Fat, and Added Sugar Is Associated with Infant Adiposity and Weight Status at 6 mo of Age. *J Nutr*. 2021 Aug 7;151(8):2353-2360. doi: 10.1093/jn/nxab101. PMID: 33982119; PMCID: PMC8435996.

Norris T, Ramel SE, Catalano P, Caoimh CN, Roggero P, et al. New charts for the assessment of body composition, according to air-displacement plethysmography, at birth and across the first 6 mo of life. *Am J Clin Nutr*. 2019 May 1;109(5):1353-1360. doi: 10.1093/ajcn/nqy377. PMID: 31051509.

Ong KK, Loos RJ. Rapid infancy weight gain and subsequent obesity: systematic reviews and hopeful suggestions. *Acta Paediatr*. 2006 Aug;95(8):904-8. doi: 10.1080/08035250600719754. PMID: 16882560.

Pfister KM, Gray HL, Miller NC, Demerath EW, Georgieff MK, Ramel SE. Exploratory study of the relationship of fat-free mass to speed of brain processing in preterm infants. *Pediatr Res*. 2013 Nov;74(5):576-83. doi: 10.1038/pr.2013.138. Epub 2013 Aug 13. PMID: 23942556.

Pfister KM, Zhang L, Miller NC, Ingolfssland EC, Demerath EW, Ramel SE. Early body composition changes are associated with neurodevelopmental and metabolic outcomes at 4 years of age in very preterm infants. *Pediatr Res*. 2018 Nov;84(5):713-718. doi: 10.1038/s41390-018-0158-x. Epub 2018 Aug 21. PMID: 30188501; PMCID: PMC6294700.

Pylypov M, Spector LG, Puumala SE, Boys C, Cohen J, Georgieff MK. Early postnatal weight gain, intellectual performance, and body mass index at 7 years of age in term infants with intrauterine growth restriction. *J Pediatr*. 2009 Feb;154(2):201-6. doi: 10.1016/j.jpeds.2008.08.015. Epub 2008 Sep 27. PMID: 18823908.

Ramel SE, Demerath EW, Gray HL, Younge N, Boys C, Georgieff MK. The relationship of poor linear growth velocity with neonatal illness and two-year neurodevelopment in preterm infants. *Neonatology*. 2012;102(1):19-24. doi: 10.1159/000336127. Epub 2012 Mar 22. PMID: 22441508.

Ramel SE, Haapala J, Super J, Boys C, Demerath EW. Nutrition, Illness and Body Composition in Very Low Birth Weight Preterm Infants: Implications for Nutritional Management and Neurocognitive Outcomes. *Nutrients*. 2020 Jan 4;12(1):145. doi: 10.3390/nu12010145. PMID: 31947964; PMCID: PMC7019791.

Ramel SE, Gray HL, Christiansen E, Boys C, Georgieff MK, Demerath EW. Greater Early Gains in Fat-Free Mass, but Not Fat Mass, Are Associated with Improved Neurodevelopment at 1 Year Corrected Age for Prematurity in Very Low Birth Weight Preterm Infants. *J Pediatr*. 2016 Jun;173:108-15. doi: 10.1016/j.jpeds.2016.03.003. Epub 2016 Apr 4. PMID: 27056450.

Ramel SE, Gray HL, Ode KL, Younge N, Georgieff MK, Demerath EW. Body composition changes in preterm infants following hospital discharge: comparison with term infants. *J Pediatr Gastroenterol Nutr*. 2011 Sep;53(3):333-8. doi: 10.1097/MPG.0b013e3182243aa7. PMID: 21602717; PMCID: PMC7680641.

Roggero P, Gianni ML, Amato O, Liotto N, Morlacchi L, et al. Growth and fat-free mass gain in preterm infants after discharge: a randomized controlled trial. *Pediatrics*. 2012 Nov;130(5):e1215-21. doi: 10.1542/peds.2012-1193. Epub 2012 Oct 29. PMID: 23109680.

Salas AA, Jerome M, Finck A, Razzaghy J, Chandler-Laney P, Carlo WA. Body composition of extremely preterm infants fed protein-enriched, fortified milk: a randomized trial. *Pediatr Res*. 2022 Apr;91(5):1231-1237. doi: 10.1038/s41390-021-01628-x. Epub 2021 Jun 28. PMID: 34183770; PMCID: PMC8237544.

Scheurer JM, Zhang L, Gray HL, Weir K, Demerath EW, Ramel SE. Body Composition Trajectories From Infancy to Preschool in Children Born Premature Versus Full-term. *J Pediatr Gastroenterol Nutr*. 2017 Jun;64(6):e147-e153. doi: 10.1097/MPG.0000000000001494. PMID: 28045768.

Scheurer JM, Zhang L, Plummer EA, Hultgren SA, Demerath EW, Ramel SE. Body Composition Changes from Infancy to 4 Years and Associations with Early Childhood Cognition in Preterm and Full-Term Children. *Neonatology*. 2018;114(2):169-176. doi: 10.1159/000487915. Epub 2018 Jun 13. PMID: 29898453; PMCID: PMC6083858.

Sewell MF, Huston-Presley L, Super DM, Catalano P. Increased neonatal fat mass, not lean body mass, is associated with maternal obesity. *Am J Obstet Gynecol*. 2006 Oct;195(4):1100-3. doi: 10.1016/j.ajog.2006.06.014. Epub 2006 Jul 26. PMID: 16875645.

Singhal A, Kennedy K, Lanigan J, Fewtrell M, Cole TJ, et al. Nutrition in infancy and long-term risk of obesity: evidence from 2 randomized controlled trials. *Am J Clin Nutr*. 2010 Nov;92(5):1133-44. doi: 10.3945/ajcn.2010.29302. Epub 2010 Sep 29. PMID: 20881062.

Singhal A, Cole TJ, Fewtrell M, Kennedy K, Stephenson T, et al. Promotion of faster weight gain in infants born small for gestational age: is there an adverse effect on later blood pressure? *Circulation*. 2007 Jan 16;115(2):213-20. doi: 10.1161/CIRCULATIONAHA.106.617811. Epub 2006 Dec 18. PMID: 17179023.

Starling AP, Brinton JT, Glueck DH, Shapiro AL, Harrod CS, et al. Associations of maternal BMI and gestational weight gain with neonatal adiposity in the Healthy Start study. *Am J Clin Nutr*. 2015 Feb;101(2):302-9. doi: 10.3945/ajcn.114.094946. Epub 2014 Dec 3. PMID: 25646327; PMCID: PMC4307203.

Stoll BJ, Hansen NI, Bell EF, Shankaran S, Laptook AR, et al; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Neonatal outcomes of extremely preterm infants from the NICHD Neonatal Research Network. *Pediatrics*. 2010 Sep;126(3):443-56. doi: 10.1542/peds.2009-2959. Epub 2010 Aug 23. PMID: 20732945; PMCID: PMC2982806.

Tahir MJ, Ejima K, Li P, Demerath EW, Allison DB, Fields DA. Associations of breastfeeding or formula feeding with infant anthropometry and body composition at 6 months. *Matern Child Nutr*. 2021 Apr;17(2):e13105. doi: 10.1111/mcn.13105. Epub 2020 Nov 3. PMID: 33145993; PMCID: PMC7988875.

Taine M, Forhan A, Morgan AS, Bernard JY, Peyre H, et al. Early postnatal growth and subsequent neurodevelopment in children delivered at term: The ELFE cohort study. *Paediatr Perinat Epidemiol*. 2021 Nov;35(6):748-757. doi: 10.1111/ppe.12798. Epub 2021 Jul 13. PMID: 34255382.

Toomey C, McCreesh K, Leahy S, Jakeman P. Technical considerations for accurate measurement of subcutaneous adipose tissue thickness using B-mode ultrasound. *Ultrasound*. 2011;19(2):91-96. doi:[10.1258/ult.2011.010057](https://doi.org/10.1258/ult.2011.010057)

Uthaya S, Thomas EL, Hamilton G, Doré CJ, Bell J, Modi N. Altered adiposity after extremely preterm birth. *Pediatr Res*. 2005 Feb;57(2):211-5. doi: 10.1203/01.PDR.0000148284.58934.1C. Epub 2004 Dec 20. PMID: 15611357.

Varela MH, Moss WJ. Early growth patterns are associated with intelligence quotient scores in children born small-for-gestational age. *Early Hum Dev*. 2015 Aug;91(8):491-7. doi: 10.1016/j.earlhumdev.2015.06.002. Epub 2015 Jun 20. PMID: 26100090.