

Surfactant in the Preterm Infant

References

Abdel-Latif ME, Davis PG, Wheeler KI, De Paoli AG, Dargaville PA. Surfactant therapy via thin catheter in preterm infants with or at risk of respiratory distress syndrome. *Cochrane Database Syst Rev*. 2021 May 10;5(5):CD011672. doi: 10.1002/14651858.CD011672.pub2. PMID: 33970483; PMCID: PMC8109227.

Ambalavanan N, Carlo WA, Nowak KJ, Wiener LE, Cosby SS, et al; National Institute of Child Health and Human Development Neonatal Research Network. Early Intratracheal Budesonide to Reduce Bronchopulmonary Dysplasia in Extremely Preterm Infants: The Budesonide in Babies (BiB) Randomized Clinical Trial. *JAMA*. 2025 Oct 28;334(16):1452-1462. doi: 10.1001/jama.2025.16450. PMID: 41026481; PMCID: PMC12486137.

Bernhard W, Mottaghian J, Gebert A, Rau GA, von Der HARDT H, Poets CF. Commercial versus native surfactants. Surface activity, molecular components, and the effect of calcium. *Am J Respir Crit Care Med*. 2000 Oct;162(4 Pt 1):1524-33. doi: 10.1164/ajrccm.162.4.9908104. PMID: 11029372.

Cummings JJ, Gerday E, Minton S, Katheria A, Albert G, et al; AERO-02 STUDY INVESTIGATORS. Aerosolized Calfactant for Newborns With Respiratory Distress: A Randomized Trial. *Pediatrics*. 2020 Nov;146(5):e20193967. doi: 10.1542/peds.2019-3967. Epub 2020 Oct 15. PMID: 33060258.

Dargaville PA, Gerber A, Johansson S, De Paoli AG, Kamlin CO, et al; Australian and New Zealand Neonatal Network. Incidence and Outcome of CPAP Failure in Preterm Infants. *Pediatrics*. 2016 Jul;138(1):e20153985. doi: 10.1542/peds.2015-3985. PMID: 27365307.

Dargaville PA, Kamlin COF, Orsini F, Wang X, De Paoli AG, et al; OPTIMIST-A Trial Investigators. Effect of Minimally Invasive Surfactant Therapy vs Sham Treatment on Death or Bronchopulmonary Dysplasia in Preterm Infants With Respiratory Distress Syndrome: The OPTIMIST-A Randomized Clinical Trial. *JAMA*. 2021 Dec 28;326(24):2478-2487. doi: 10.1001/jama.2021.21892. PMID: 34902013; PMCID: PMC8715350.

Dunn MS, Kaempf J, de Klerk A, de Klerk R, Reilly M, et al; Vermont Oxford Network DRM Study Group. Randomized trial comparing 3 approaches to the initial respiratory management of preterm neonates. *Pediatrics*. 2011 Nov;128(5):e1069-76. doi: 10.1542/peds.2010-3848. Epub 2011 Oct 24. PMID: 22025591.

Gallup JA, Ndakor SM, Pezzano C, Pinheiro JMB. Randomized Trial of Surfactant Therapy via Laryngeal Mask Airway Versus Brief Tracheal Intubation in Neonates Born Preterm. *J Pediatr*. 2023 Mar;254:17-24.e2. doi: 10.1016/j.jpeds.2022.10.009. Epub 2022 Oct 12. PMID: 36241051.

Gelfand CA, Sakurai R, Wang Y, Liu Y, Segal R, Rehan VK. Inhaled vitamin A is more effective than intramuscular dosing in mitigating hyperoxia-induced lung injury in a neonatal rat model of bronchopulmonary dysplasia. *Am J Physiol Lung Cell Mol Physiol*. 2020 Sep 1;319(3):L576-L584. doi: 10.1152/ajplung.00266.2020. Epub 2020 Aug 5. PMID: 32755324; PMCID: PMC7642870.

Gupta BK, Saha AK, Mukherjee S, Saha B. Minimally invasive surfactant therapy versus InSurE in preterm neonates of 28 to 34 weeks with respiratory distress syndrome on non-invasive positive pressure ventilation-a randomized controlled trial. *Eur J Pediatr*. 2020 Aug;179(8):1287-1293. doi: 10.1007/s00431-020-03682-9. Epub 2020 May 27. PMID: 32462483; PMCID: PMC7251045.

Guthrie SO, Fort P, Roberts KD. Surfactant Administration Through Laryngeal or Supraglottic Airways. *Neoreviews*. 2021 Oct;22(10):e673-e688. doi: 10.1542/neo.22-10-e673. PMID: 34599065.

Isayama T, Iwami H, McDonald S, Beyene J. Association of Noninvasive Ventilation Strategies With Mortality and Bronchopulmonary Dysplasia Among Preterm Infants: A Systematic Review and Meta-analysis. *JAMA*. 2016 Aug 9;316(6):611-24. doi: 10.1001/jama.2016.10708. Erratum in: *JAMA*. 2016 Sep 13;316(10):1116. doi: 10.1001/jama.2016.12299. PMID: 27532916.

Kakkilaya V, Gautham KS. Should less invasive surfactant administration (LISA) become routine practice in US neonatal units? *Pediatr Res*. 2023 Apr;93(5):1188-1198. doi: 10.1038/s41390-022-02265-8. Epub 2022 Aug 19. PMID: 35986148; PMCID: PMC9389478.

Kribs A, Roll C, Göpel W, Wieg C, Groneck P, et al; NINSAPP Trial Investigators. Nonintubated Surfactant Application vs Conventional Therapy in Extremely Preterm Infants: A Randomized Clinical Trial. *JAMA Pediatr*. 2015 Aug;169(8):723-30. doi: 10.1001/jamapediatrics.2015.0504. PMID: 26053341.

Kuitunen I, Räsänen K. Less Invasive Surfactant Administration Compared to Intubation, Surfactant, Rapid Extubation Method in Preterm Neonates: An Umbrella Review. *Neonatology*. 2024;121(4):485-493. doi: 10.1159/000537903. Epub 2024 Mar 19. PMID: 38503270; PMCID: PMC11318579.

Liu S, Wang Y, Zhu X, Chen F, Shi Y. Comparative efficacy and safety of pulmonary surfactant delivery strategies in neonatal RDS: a network meta-analysis. *BMC Pulm Med*. 2024 Dec 30;24(1):637. doi: 10.1186/s12890-024-03429-4. PMID: 39736686; PMCID: PMC11687079.

Manley BJ, Kamlin COF, Donath SM, Francis KL, Cheong JLY, et al; PLUSS Trial Investigators. Intratracheal Budesonide Mixed With Surfactant for Extremely Preterm Infants: The PLUSS Randomized Clinical Trial. *JAMA*. 2024 Dec 10;332(22):1889-1899. doi: 10.1001/jama.2024.17380. PMID: 39527075; PMCID: PMC11555571.

Mikolka P, Kronqvist N, Haegerstrand-Björkman M, Jaudzems K, Kosutova P, et al. Synthetic surfactant with a combined SP-B and SP-C analogue is efficient in rabbit models of adult and neonatal respiratory distress syndrome. *Transl Res*. 2023 Dec;262:60-74. doi: 10.1016/j.trsl.2023.07.009. Epub 2023 Jul 26. PMID: 37499744.

Minocchieri S, Berry CA, Pillow JJ; CureNeb Study Team. Nebulised surfactant to reduce severity of respiratory distress: a blinded, parallel, randomised controlled trial. *Arch Dis Child Fetal Neonatal Ed*. 2019 May;104(3):F313-F319. doi: 10.1136/archdischild-2018-315051. Epub 2018 Jul 26. Erratum in: *Arch Dis Child Fetal Neonatal Ed*. 2020 Mar;105(2):e1. doi: 10.1136/archdischild-2018-315051corr1. PMID: 30049729; PMCID: PMC6764249.

Morley CJ, Davis PG, Doyle LW, Brion LP, Hascoet JM, Carlin JB; COIN Trial Investigators. Nasal CPAP or intubation at birth for very preterm infants. *N Engl J Med*. 2008 Feb 14;358(7):700-8. doi: 10.1056/NEJMoa072788. Erratum in: *N Engl J Med*. 2008 Apr 3;358(14):1529. PMID: 18272893.

Moya FR, Mazela J, Shore PM, Simonson SG, Segal R, et al; Preterm Neonate Early Respiratory Management Prospective Observational Study investigators. Prospective observational study of early respiratory management in preterm neonates less than 35 weeks of gestation. *BMC Pediatr*. 2019 May 11;19(1):147. doi: 10.1186/s12887-019-1518-3. PMID: 31078143; PMCID: PMC6511129.

Moya F, Curstedt T, Johansson J, Sweet D. Synthetic surfactants. *Semin Fetal Neonatal Med*. 2023 Dec;28(6):101503. doi: 10.1016/j.siny.2023.101503. Epub 2023 Nov 22. PMID: 38036308.

Pillow JJ, Minocchieri S. Innovation in surfactant therapy II: surfactant administration by aerosolization. *Neonatology*. 2012;101(4):337-44. doi: 10.1159/000337354. Epub 2012 Jun 1. PMID: 22940623.

Notter RH, Wang Z, Egan EA, Holm BA. Component-specific surface and physiological activity in bovine-derived lung surfactants. *Chem Phys Lipids*. 2002 Jan;114(1):21-34. doi: 10.1016/s0009-3084(01)00197-9. PMID: 11841823.

Pinheiro JM, Santana-Rivas Q, Pezzano C. Randomized trial of laryngeal mask airway versus endotracheal intubation for surfactant delivery. *J Perinatol*. 2016 Mar;36(3):196-201. doi: 10.1038/jp.2015.177. Epub 2015 Dec 3. PMID: 26633145.

Ramanathan R, Biniwale M, Sekar K, Hanna N, Golombek S, et al. Synthetic Surfactant CHF5633 Compared with Poractant Alfa in the Treatment of Neonatal Respiratory Distress Syndrome: A Multicenter, Double-Blind, Randomized, Controlled Clinical Trial. *J Pediatr*. 2020 Oct;225:90-96.e1. doi: 10.1016/j.jpeds.2020.06.024. Epub 2020 Jun 14. Erratum in: *J Pediatr*. 2022 Jan;240:321. doi: 10.1016/j.jpeds.2020.09.062. Erratum in: *J Pediatr*. 2022 May;244:262. doi: 10.1016/j.jpeds.2021.03.069. PMID: 32553868.

Roberts KD, Brown R, Lampland AL, Leone TA, Rudser KD, et al. Laryngeal Mask Airway for Surfactant Administration in Neonates: A Randomized, Controlled Trial. *J Pediatr*. 2018 Feb;193:40-46.e1. doi: 10.1016/j.jpeds.2017.09.068. Epub 2017 Nov 22. PMID: 29174079.

Singh AJ, Bronshtein V, Khashu M, Lee K, Potts JE, et al. Vitamin A is systemically bioavailable after intratracheal administration with surfactant in an animal model of newborn respiratory distress. *Pediatr Res*. 2010 Jun;67(6):619-23. doi: 10.1203/PDR.0b013e3181da8fe8. PMID: 20216104.

SUPPORT Study Group of the Eunice Kennedy Shriver NICHD Neonatal Research Network; Finer NN, Carlo WA, Walsh MC, Rich W, Gantz MG, et al. Early CPAP versus surfactant in extremely preterm infants. *N Engl J Med*. 2010 May 27;362(21):1970-9. doi: 10.1056/NEJMoa0911783. Epub 2010 May 16. Erratum in: *N Engl J Med*. 2010 Jun 10;362(23):2235. PMID: 20472939; PMCID: PMC3071534.

Sweet DG, Carnielli VP, Greisen G, Hallman M, Klebermass-Schrehof K, et al. European Consensus Guidelines on the Management of Respiratory Distress Syndrome: 2022 Update. *Neonatology*. 2023;120(1):3-23. doi: 10.1159/000528914. Epub 2023 Feb 15. PMID: 36863329; PMCID: PMC10064400.

[Vidavalur R. Assessing the Shifts: A 5-Year Analysis of Surfactant and Assisted Ventilation Trends in Neonatal Care in the United States \(2016-2020\). *Neonatology Today*. 2023.](#)

Yeh TF, Chen CM, Wu SY, Husan Z, Li TC, et al. Intratracheal Administration of Budesonide/Surfactant to Prevent Bronchopulmonary Dysplasia. *Am J Respir Crit Care Med*. 2016 Jan 1;193(1):86-95. doi: 10.1164/rccm.201505-0861OC. PMID: 26351971.

Zhang H, Fan Q, Wang YE, Neal CR, Zuo YY. Comparative study of clinical pulmonary surfactants using atomic force microscopy. *Biochim Biophys Acta*. 2011 Jul;1808(7):1832-42. doi: 10.1016/j.bbamem.2011.03.006. Epub 2011 Mar 23. PMID: 21439262; PMCID: PMC4853231.