

From TPN to Full Feeds: Best Practices in Transition Nutrition

References

Belfort MB, Rifas-Shiman SL, Sullivan T, Collins CT, McPhee AJ, et al. Infant growth before and after term: effects on neurodevelopment in preterm infants. *Pediatrics*. 2011 Oct;128(4):e899-906. doi: 10.1542/peds.2011-0282. Epub 2011 Sep 26. PMID: 21949135; PMCID: PMC3182845.

Berseth CL, Nordyke C. Enteral nutrients promote postnatal maturation of intestinal motor activity in preterm infants. *Am J Physiol*. 1993 Jun;264(6 Pt 1):G1046-51. doi: 10.1152/ajpgi.1993.264.6.G1046. PMID: 8333531.

Boscarino G, Conti MG, Di Chiara M, Bianchi M, Onestà E, et al. Early Enteral Feeding Improves Tolerance of Parenteral Nutrition in Preterm Newborns. *Nutrients*. 2021 Oct 29;13(11):3886. doi: 10.3390/nu13113886. PMID: 34836137; PMCID: PMC8621891.

Boundy EO, Anstey EH, Nelson JM. Donor Human Milk Use in Advanced Neonatal Care Units - United States, 2020. *MMWR Morb Mortal Wkly Rep*. 2022 Aug 19;71(33):1037-1041. doi: 10.15585/mmwr.mm7133a1. PMID: 35980851; PMCID: PMC9400533.

Bulut O, Coban A, Uzunhan O, Ince Z. Effects of Targeted Versus Adjustable Protein Fortification of Breast Milk on Early Growth in Very Low-Birth-Weight Preterm Infants: A Randomized Clinical Trial. *Nutr Clin Pract*. 2020 Apr;35(2):335-343. doi: 10.1002/ncp.10307. Epub 2019 Apr 25. PMID: 31025438.

Chou FS, Yeh HW, Clark RH. A comparative study of postnatal anthropometric growth in very preterm infants and intrauterine growth. *Nat Commun*. 2023 Sep 19;14(1):5626. doi: 10.1038/s41467-023-41069-0. PMID: 37726287; PMCID: PMC10509139.

Commare CE, Tappenden KA. Development of the infant intestine: implications for nutrition support. *Nutr Clin Pract*. 2007 Apr;22(2):159-73. doi: 10.1177/0115426507022002159. PMID: 17374790.

Dorling J, Abbott J, Berrington J, Bosiak B, Bowler U, et al; SIFT Investigators Group. Controlled Trial of Two Incremental Milk-Feeding Rates in Preterm Infants. *N Engl J Med*. 2019 Oct 10;381(15):1434-1443. doi: 10.1056/NEJMoa1816654. PMID: 31597020.

Dvorak B, Halpern MD, Holubec H, Dvorakova K, Dominguez JA, et al. Maternal milk reduces severity of necrotizing enterocolitis and increases intestinal IL-10 in a neonatal rat model. *Pediatr Res*. 2003 Mar;53(3):426-33. doi: 10.1203/01.PDR.0000050657.56817.E0. PMID: 12595590.

Fabrizio V, Trzaski JM, Brownell EA, Esposito P, Lainwala S, et al. Individualized versus standard diet fortification for growth and development in preterm infants receiving human milk. *Cochrane Database Syst Rev*. 2020 Nov 23;11(11):CD013465. doi: 10.1002/14651858.CD013465.pub2. PMID: 33226632; PMCID: PMC8094236.

Falciglia GH, Murthy K, Holl JL, Palac HL, Oumarbaeva Y, et al. Energy and Protein Intake During the Transition from Parenteral to Enteral Nutrition in Infants of Very Low Birth Weight. *J Pediatr*. 2018 Nov;202:38-43.e1. doi: 10.1016/j.jpeds.2018.07.010. Epub 2018 Sep 5. PMID: 30195557.

Fallon EM, Nehra D, Potemkin AK, Gura KM, Simpson E, Compher C; American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.) Board of Directors; Puder M. A.S.P.E.N. clinical guidelines: nutrition support of neonatal patients at risk for necrotizing enterocolitis. *JPEN J Parenter Enteral Nutr*. 2012 Sep;36(5):506-23. doi: 10.1177/0148607112449651. Epub 2012 Jun 29. PMID: 22753618.

Gordon PV, Clark R, Swanson JR, Spitzer A. Can a national dataset generate a nomogram for necrotizing enterocolitis onset? *J Perinatol*. 2014 Oct;34(10):732-5. doi: 10.1038/jp.2014.137. Epub 2014 Jul 31. PMID: 25078862.

Hagadorn JI, Brownell EA, Lussier MM, Parker MG, Herson VC. Variability of Criteria for Pasteurized Donor Human Milk Use: A Survey of U.S. Neonatal Intensive Care Unit Medical Directors. *JPEN J Parenter Enteral Nutr*. 2016 Mar;40(3):326-33. doi: 10.1177/0148607114550832. Epub 2014 Sep 29. PMID: 25267184.

Immeli L, Sankilampi U, Mäkelä PM, Leskinen M, Sund R, et al. Length of Nutritional Transition Associates Negatively with Postnatal Growth in Very Low Birthweight Infants. *Nutrients*. 2021 Nov 6;13(11):3961. doi: 10.3390/nu13113961. PMID: 34836216; PMCID: PMC8622897.

Jasani B, Patole S. Standardized feeding regimen for reducing necrotizing enterocolitis in preterm infants: an updated systematic review. *J Perinatol*. 2017 Jul;37(7):827-833. doi: 10.1038/jp.2017.37. Epub 2017 Mar 30. PMID: 28358382.

Leppänen M, Lapinleimu H, Lind A, Matomäki J, Lehtonen L, et al. Pikkukeskosen syntymän jälkeinen kasvu on yhteydessä älylliseen kehitykseen [Antenatal and postnatal growth and 5-year cognitive outcome in very preterm infants]. *Duodecim*. 2014;130(7):738. Finnish. PMID: 24772790.

McKinley LT, Przystac L, Tucker R, Trail-Burns E, Vohr BR, et al. Implementation of a Nutrition Care Bundle and Improved Weight Gain of Extremely Preterm Infants to 36 Weeks Postmenstrual Age. *J Pediatr*. 2022 Feb;241:42-47.e2. doi: 10.1016/j.jpeds.2021.10.016. Epub 2021 Oct 21. PMID: 34687694.

Morgan J, Bombell S, McGuire W. Early trophic feeding versus enteral fasting for very preterm or very low birth weight infants. *Cochrane Database Syst Rev*. 2013 Mar 28;2013(3):CD000504. doi: 10.1002/14651858.CD000504.pub4. PMID: 23543508; PMCID: PMC11480887.

Oddie SJ, Young L, McGuire W. Slow advancement of enteral feed volumes to prevent necrotising enterocolitis in very low birth weight infants. *Cochrane Database Syst Rev*. 2021 Aug 24;8(8):CD001241. doi: 10.1002/14651858.CD001241.pub8. PMID: 34427330; PMCID: PMC8407506.

Ong KK, Kennedy K, Castañeda-Gutiérrez E, Forsyth S, Godfrey KM, et al. Postnatal growth in preterm infants and later health outcomes: a systematic review. *Acta Paediatr*. 2015 Oct;104(10):974-86. doi: 10.1111/apa.13128. PMID: 26179961; PMCID: PMC5054880.

Parker MG, Stellwagen L, Miller ER, Noble L, Corkins MR, Hudak ML; Committee on Fetus and Newborn; Section on Breastfeeding; Committee on Nutrition. Promoting Human Milk and Breastfeeding for the Very Low Birth Weight Infant: Clinical Report. *Pediatrics*. 2026 Feb 1;157(2):e2025073625. doi: 10.1542/peds.2025-073625. PMID: 41520943.

Patel AL, Taylor SN. Dilemmas in initiation of very preterm infant enteral feeds-when, what, how? *J Perinatol*. 2023 Jan;43(1):108-113. doi: 10.1038/s41372-022-01564-6. Epub 2022 Nov 29. PMID: 36447040.

Patole SK, de Klerk N. Impact of standardised feeding regimens on incidence of neonatal necrotising enterocolitis: a systematic review and meta-analysis of observational studies. *Arch Dis Child Fetal Neonatal Ed*. 2005 Mar;90(2):F147-51. doi: 10.1136/adc.2004.059741. PMID: 15724039; PMCID: PMC1721845.

Perrem L, Semberova J, O'Sullivan A, Kieran EA, O'Donnell CPF, et al. Effect of Early Parenteral Nutrition Discontinuation on Time to Regain Birth Weight in Very Low Birth Weight Infants: A Randomized Controlled Trial. *JPEN J Parenter Enteral Nutr*. 2019 Sep;43(7):883-890. doi: 10.1002/jpen.1502. Epub 2019 Jan 6. PMID: 30613992.

Salas AA, Gunawan E, Nguyen K, Reeves A, Argent V, et al. Early Human Milk Fortification in Infants Born Extremely Preterm: A Randomized Trial. *Pediatrics*. 2023 Sep 1;152(3):e2023061603. doi: 10.1542/peds.2023-061603. PMID: 37551512; PMCID: PMC10471508.

Seliga-Siwecka J, Fiałkowska J, Chmielewska A. Effect of Targeted vs. Standard Fortification of Breast Milk on Growth and Development of Preterm Infants (≤ 32 Weeks): Results from an Interrupted Randomized Controlled Trial. *Nutrients*. 2023 Jan 25;15(3):619. doi: 10.3390/nu15030619. PMID: 36771325; PMCID: PMC9919428.

Siggers J, Sangild PT, Jensen TK, Siggers RH, Skovgaard K, et al. Transition from parenteral to enteral nutrition induces immediate diet-dependent gut histological and immunological responses in preterm neonates. *Am J Physiol Gastrointest Liver Physiol*. 2011 Sep;301(3):G435-45. doi: 10.1152/ajpgi.00400.2010. Epub 2011 Jun 23. PMID: 21700903.

Tewari VV, Dubey SK, Kumar R, Vardhan S, Sreedhar CM, Gupta G. Early versus Late Enteral Feeding in Preterm Intrauterine Growth Restricted Neonates with Antenatal Doppler Abnormalities: An Open-Label Randomized Trial. *J Trop Pediatr*. 2018 Feb 1;64(1):4-14. doi: 10.1093/tropej/fmx018. PMID: 28369652.

Thanigainathan S, Abiramalatha T. Early fortification of human milk versus late fortification to promote growth in preterm infants. *Cochrane Database Syst Rev*. 2020 Jul 29;7(7):CD013392. doi: 10.1002/14651858.CD013392.pub2. PMID: 32726863; PMCID: PMC7390609.

Young L, Oddie SJ, McGuire W. Delayed introduction of progressive enteral feeds to prevent necrotising enterocolitis in very low birth weight infants. *Cochrane Database Syst Rev*. 2022 Jan 20;1(1):CD001970. doi: 10.1002/14651858.CD001970.pub6. PMID: 35049036; PMCID: PMC8771918.