pediatrix

CENTER FOR RESEARCH, EDUCATION, QUALITY AND SAFETY

Obstetrics Grand Rounds: Reducing the Risk of Transmitting Infection During Ultrasound Examination

References

AIUM Official Statement: Guidelines for Cleaning and Preparing External- and Internal-Use Ultrasound Transducers and Equipment Between Patients as Well as Safe Handling and Use of Ultrasound Coupling Gel, 2025 Revision. J Ultrasound Med. 2025 Dec;44(12):E1-E9. doi: 10.1002/jum.70014. Epub 2025 Jul 31. PMID: 40739954.

Basseal JM, Westerway SC, Hyett JA. Analysis of the integrity of ultrasound probe covers used for transvaginal examinations. Infect Dis Health. 2020 Mar;25(2):77-81. doi: 10.1016/j.idh.2019.11.003. Epub 2019 Dec 18. PMID: 31862265.

Carrico RM, Furmanek S, English C. Ultrasound probe use and reprocessing: Results from a national survey among U.S. infection preventionists. Am J Infect Control. 2018 Aug;46(8):913-920. doi: 10.1016/j.ajic.2018.03.025. Epub 2018 Jun 1. PMID: 29866632.

Casalegno JS, Le Bail Carval K, Eibach D, Valdeyron ML, Lamblin G, et al. High risk HPV contamination of endocavity vaginal ultrasound probes: an underestimated route of nosocomial infection? PLoS One. 2012;7(10):e48137. doi: 10.1371/journal.pone.0048137. Epub 2012 Oct 24. PMID: 23110191; PMCID: PMC3480505.

Combs CA, Fishman A. A proposal to reduce the risk of transmission of human papilloma virus via transvaginal ultrasound. Am J Obstet Gynecol. 2016 Jul;215(1):63-7. doi: 10.1016/j.ajog.2016.03.014. Epub 2016 Mar 16. PMID: 26994654.

Egawa N, Shiraz A, Crawford R, Saunders-Wood T, Yarwood J, et al. Dynamics of papillomavirus in vivo disease formation & susceptibility to high-level disinfection-Implications for transmission in clinical settings. EBioMedicine. 2021 Jan;63:103177. doi: 10.1016/j.ebiom.2020.103177. Epub 2021 Jan 6. PMID: 33421945; PMCID: PMC7806788.

Hudson MJ, Park SC, Mathers A, Parikh H, Glowicz J, et al. Outbreak of Burkholderia stabilis Infections Associated with Contaminated Nonsterile, Multiuse Ultrasound Gel - 10 States, May-September 2021. MMWR Morb Mortal Wkly Rep. 2022 Dec 2;71(48):1517-1521. doi: 10.15585/mmwr.mm7148a3. PMID: 36454695; PMCID: PMC9721143.

Kweon Y, Jeong G, Kim S, Yang C, Cho E, Leem J. A Scoping Review of Clinical Studies on Procedures of Ultrasound-Guided Injection to Ensure Hygiene and Safety. Healthcare (Basel). 2025 May 16;13(10):1165. doi: 10.3390/healthcare13101165. PMID: 40428001; PMCID: PMC12110851.

M'Zali F, Bounizra C, Leroy S, Mekki Y, Quentin-Noury C, Kann M. Persistence of microbial contamination on transvaginal ultrasound probes despite low-level disinfection procedure. PLoS One. 2014 Apr 2;9(4):e93368. doi: 10.1371/journal.pone.0093368. PMID: 24695371; PMCID: PMC3973690.

Meyers J, Ryndock E, Conway MJ, Meyers C, Robison R. Susceptibility of high-risk human papillomavirus type 16 to clinical disinfectants. J Antimicrob Chemother. 2014 Jun;69(6):1546-50. doi: 10.1093/jac/dku006. Epub 2014 Feb 4. PMID: 24500190; PMCID: PMC4019329.

Meyers C, Milici J, Robison R. UVC radiation as an effective disinfectant method to inactivate human papillomaviruses. PLoS One. 2017 Oct 31;12(10):e0187377. doi: 10.1371/journal.pone.0187377. PMID: 29088277; PMCID: PMC5663507.

Ozbun MA, Bondu V, Patterson NA, Sterk RT, Waxman AG, et al. Infectious titres of human papillomaviruses (HPVs) in patient lesions, methodological considerations in evaluating HPV infectivity and implications for the efficacy of high-level disinfectants. EBioMedicine. 2021 Jan;63:103165. doi: 10.1016/j.ebiom.2020.103165. Epub 2021 Jan 7. PMID: 33422988; PMCID: PMC7808919.

Ricci S, Pinette MG, Wax JR, Craig W, Forrest L, Dragoni C. The effect of temperature on bacterial growth in the presence of nonsterile ultrasound coupling gel. Am J Obstet Gynecol. 2020 Feb;222(2):188. doi: 10.1016/j.ajog.2019.10.001. Epub 2019 Oct 11. PMID: 31610151.

Rowan NJ, Kremer T, McDonnell G. A review of Spaulding's classification system for effective cleaning, disinfection and sterilization of reusable medical devices: Viewed through a modern-day lens that will inform and enable future sustainability. Sci Total Environ. 2023 Jun 20;878:162976. doi: 10.1016/j.scitotenv.2023.162976. Epub 2023 Mar 22. PMID: 36963674.

Ryndock E, Robison R, Meyers C. Susceptibility of HPV16 and 18 to high level disinfectants indicated for semi-critical ultrasound probes. J Med Virol. 2016 Jun;88(6):1076-80. doi: 10.1002/jmv.24421. Epub 2015 Nov 13. PMID: 26519866; PMCID: PMC5063110.

Shaban RZ, Maloney S, Gerrard J, Collignon P, Macbeth D, et al. Outbreak of health care-associated Burkholderia cenocepacia bacteremia and infection attributed to contaminated sterile gel used for central line insertion under ultrasound guidance and other procedures. Am J Infect Control. 2017 Sep 1;45(9):954-958. doi: 10.1016/j.ajic.2017.06.025. Epub 2017 Jul 27. PMID: 28757084.

Society for Maternal-Fetal Medicine (SMFM); Bauer ST, Andrew Combs C; SMFM Patient Safety and Quality Committee. Society for Maternal-Fetal Medicine Special Statement: Reducing the risk of transmitting infection during ultrasound examination-Updated 2026. Pregnancy (Hoboken). 2026 Aug 23;2(5):e70391. doi: 10.1002/pmf2.70391. PMID: 42638874; PMCID: PMC13501106.

SMFM Patient Safety and Quality Committee. Electronic address: smfm@smfm.org; Hamm RF, Combs CA, Davidson CM. Society for Maternal-Fetal Medicine Special Statement: Reducing the risk of transmitting infection by transvaginal ultrasound examination. Am J Obstet Gynecol. 2020 Sep;223(3):B2-B6. doi: 10.1016/j.ajog.2020.05.043. Epub 2020 May 26. PMID: 32470457.

Trocino G, Barbieri A, Ciampi Q, Mantovani F, Barchitta A, et al; Italian Society of Echocardiography and Cardiovascular Imaging (SIECVI). Contemporary Management of Cleaning and Disinfection Processes for Echocardiographic Equipment and Probes: National Real-world Data from an Italian Society of Echocardiography and Cardiovascular Imaging Survey. J Cardiovasc Echogr. 2025 Jul-Sep;35(3):314-322. doi: 10.4103/jcecho.jcecho_32_25. Epub 2025 Sep 29. PMID: 41114067; PMCID: PMC12530722.

Westerway SC, Basseal JM, Brockway A, Hyett JA, Carter DA. Potential Infection Control Risks Associated with Ultrasound Equipment - A Bacterial Perspective. Ultrasound Med Biol. 2017 Feb;43(2):421-426. doi: 10.1016/j.ultrasmedbio.2016.09.004. Epub 2016 Oct 26. PMID: 28341192.

Alert: Use Only Sterile Ultrasound Gel for Percutaneous Procedures | HAIs | CDC

FDA-Cleared Sterilants and High Level Disinfectants with General Claims for Processing Reusable Medical and Dental Devices | FDA

Ensuring Critical Instruments and Devices Are Appropriate For Reuse